

ISUZU CITIPORT



EURO



Anadolu Isuzu the one and only "Isuzu Manufacturing Management (IMM)"
certified Isuzu factory in Europe.

ANADOLU ISUZU

ISUZU CITIPOINT



Taking into account the actual needs of the major metropolises and municipalities, Citiport has been designed in a way to create the concept of “the ideal solution for public transportation”. Citiport has an attractive exterior outlook with its outstanding and unique design. Not surprisingly, Citiport was awarded as the most “comfortable and ergonomic bus of Europe” in 2015.

Citiport 12 is powered by Cummins engine which produces 289 HP and 1087 NM torque. Powertrain is well supported by ZF Ecolife full automatic transmission, which secures an excellent traction and a smooth driving experience.

EBS, ABS, ASR, integrated retarder, hill holder, independent air suspension and integrated CCTV system allow a safe ride for the driver and the passengers in intense city traffic.

Ergonomic dashboard, heated driver seat, driver cabin, digital A/C, passenger counting system and optional automatic engine oil refilling system significantly enhance drivers comfort.



ANADOLU ISUZU

ISUZU CITIPOINT

TECHNICAL SPECIFICATIONS

Dimensions (mm)	
Maximum Length	12030
Maximum Width	2550
Maximum Height	3136 (Including A/C unit)
Wheelbase	5850
Front Overhang	2700
Rear Overhang	3480
Front Track Width	2152
Rear Track Width	1872
Weights (kg)	
Gross Vehicle Weight	17900
Engine	
Model	CUMMINS ISB6.7E5300 (Euro 5)
Type	Dizel Commonrail Turbo Compressor
Cylinders	6
Displacement (cc)	6700
Maximum Power (PS/rpm)	289 / 2300
Maximum Torque (Nm/rpm)	1087 / 1285
Transmission	
Model	ZF 6 AP 1200B (Automatic)
Number of Gears, Type	6 Forward, 1 Reverse, Overdrive 3 Levels With Manual and Foot Controlled Retarder Function
Suspensions	
Front	Independent Air Suspension - 2 Air Bellows (ECAS)
Rear	Air Suspension - 4 Air Bellows (ECAS)
Brake System	
Front / Rear System	Disc / Disc Full Air Brake System With EBS (Automatic Oil, Water Separator System - Opt) (Oil, water separator system provides extend-life your brake systems)
Parking Brake	Air Actuated, Operating on Rear Axle
Auxiliary Brake	Intarder
Passenger Capacity (Max.)	
Standard Electrical System	107 passenger 27 (24 Fixed + 3 Folding) Passenger Seats + 1 (Maximum 79 Standing Passengers When Folding Seats Are Closed)
Optional Electrical System	31 (28 Fixed + 3 Folding) Passenger Seats + 1 (Maximum 72 Standing Passengers When Folding Seats Are Closed)
Fuel Tank	
Fuel Tank Capacity (lt)	300
Electric Systems	
System Voltage	24V
Battery	2 x 240 Ah
Steering System	Hydraulic
Tyres	275/70 R22,5

Low floor platform, spacious interior layout, kneeling system and an easy-to-use wheelchair ramp that enhances the accessibility of the vehicle and allows a barrier-free journey for all passengers.



ISUZU CITIPOINT EQUIPMENTS



General

Digital Tachograph	S
Multiplex System	S

Heating and Ventilation

Pre-heater	Opt
Heater (Front/Middle/Rear)	S

Air Conditioner

Digital Air Conditioner	S
A/C with Heater	Opt

Safety & Driving Comfort

Roof Emergency Hatch & Ventilation Hatch	S
Parking Sensor	S
Reverse Gear Warning Beeper	S
Interior Camera	S (DVR recording device)
Exterior Camera	S (At the Rear and On Side Rear View Mirrors)
Retarder	S
ABS	S (EBS)
ASR	S (EBS)
Engine Room Fire Detector and Warning System	S
Auto Fire Extinguisher for Engine Room	Opt
Automatic Engine Oil Refilling System	Opt
Diesel Exhaust Emission Fluid Heater	S
Speed Limitor	S

Exterior

Electrically Controlled Side View Mirrors	S
Heated Side View Mirrors	S
Daytime Running Lamps (DRL)	S
Front and Rear Fog Lamps	S
Towing Device	S
Metallic Paint	Opt

Doors

Number of Service Doors	3 Doors
Type of Service Doors	Double Wings, Pneumatic, Inward Swing
Disabled Passenger Access	Ramp for Middle Door & Kneeling System
Remote Control for Front Door	S

Windows

Windscreen	Single Piece Laminated
Driver's Window	With Resistance Heater, Electrical Control
Blind	Electrical Control For Windscreen Roller Blind; Manual Control For Driver Window Roller Blind
Passenger Windows	Single Piece, Non-sliding
Single Glazing	S
Hinged window	1/4 Hinged Passenger Windows

Interior

Driver Seat	Adjustable Steering Wheel Integrated With The Display Cluster
Steering	Air actuated, Adjustable, With Headrest
Driver's Seat	S (Semi Closed)
Driver's Cabin	S (Locker)
Driver Overhead Cabinet	Opt
Ticket Box Pre-arrangement	Opt

Passenger Compartment

Seat Material	Cloth Ped On Plastic
Interior Lining (Ceiling)	Formica

Audio & Visual

Stop Sign (Interior)	S
Info Panel for Passengers	Front (S), Rear (Opt)
Digital Destination Indicators	Rounding LED-type Headsign (Front and Side) (S), Rear Indicator Panel (S), Colored Headsign (Not Rounding) (Opt)
Announcement System Preparation	S (Interior / Exterior)
LCD Screen	S (1 Unit, Front); Opt (2 Units, Middle)
Digital Clock	S

S: Standard Opt: Optional